


Author Index of Volume 23

- | | | |
|-----------------------------|----------------------------|-----------------------|
| Aerts, J., 77 | Floquet, P., 99 | Nikolov, V., 203 |
| Anastasov, As., 203 | | Noll, G., 13 |
| Badssi, A., 89 | Hančil, V., 189 | |
| Blanc, C., 89 | Hartland, S., 41, 195 | Peytavy, J. L., 89 |
| Bugarel, R., 89 | Hess, W. F., 179 | Pibouleau, L., 99 |
| Burgard, W., 125 | | Platzer, B., 13 |
| Burghardt, A., 77 | Janisch, I., 67 | |
| Burney, A. H., 33 | | Rautenbach, R., 67 |
| | Kalwa, M., 179 | Rod, V., 189 |
| Casares Long, J. J., 33 | Kumar, A., 41 | |
| | | Schügerl, K., 61 |
| Domenech, S., 99 | Laurent, A., 89 | Simmrock, K. H., 125 |
| | Likidis, Z., 61 | Steiner, L., 195 |
| Elenkov, D., 203 | | |
| Elnashaie, S. S. E. H., 165 | Mahfouz, A. T., 165 | Watkinson, A. P., 115 |
| Elshishini, S. S., 165 | Mayinger, F., 1 | |
| Engelmann, H.-D., 125 | Mersmann, A., 213 | Ziółkowska, I., 137 |
| Epstein, N., 115 | Müller-Steinhagen, H., 115 | Ziółkowski, D., 137 |
| Erdmann, H.-H., 125 | | |



Subject Index of Volume 23

- Agitated vessels
 - modelling of local distributions of velocity components and turbulence parameters in, 13
- Biological dispersions
 - chance for downstream processing of, by high pressure filtration, 179
- Break-up
 - of drop in stirred tank, 189
- Catalyst layer
 - on inside tube wall of fixed bed tubular reactor, model study of, 203
- Countercurrent extraction column response
 - sensitivity of, to changes in operating parameters, 195
- Cross-flow sieve trays
 - influence of pressure on gas-liquid interfacial area and gas-side mass transfer coefficient of laboratory column equipped with, 89
- Crystallizers
 - design of, 213
- Depressurization
 - two-phase flow phenomena with — consequences for design and layout of safety and pressure relief valves, 1
- Diffusion
 - with chemical reaction in porous pellet, pressure changes during, 77
- Digital simulation
 - of industrial ammonia reactor, 165
- Dispersed phase hold-up
 - in pulsed perforated-plate extraction columns, prediction of, 41
- Dispersions
 - biological, chance for downstream processing of, by high pressure filtration, 179
- Dissolved gases
 - effect of, on subcooled flow boiling heat transfer, 115
- Distillation system
 - multicomponent, effect of various schemes in, 33
- Drop break-up
 - in stirred tank, 189
- Expert systems
 - use of, in chemical engineering, 125
- Extraction column(s)
 - countercurrent, sensitivity of response of, to changes in operating parameters, 195
 - pulsed perforated-plate, prediction of dispersed phase hold-up in, 41
- Filtration
 - high pressure — chance for downstream processing of biological dispersions, 179
- Fixed bed tubular reactor
 - with catalyst layer on inside tube wall, model study of, 203
- Flow phenomena
 - two-phase, with depressurization — consequences for design and layout of safety and pressure relief valves, 1
- Fluid flow
 - inside packed beds, 137
- Heat transfer
 - subcooled flow boiling, effect of dissolved gases on, 115
- Hold-up
 - dispersed phase, in pulsed perforated-plate extraction columns, prediction of, 41
- Karr column
 - bench-scale, reextraction of Penicillin G and V from organic phase in, after reactive extraction by LA-2, 61
- Multicomponent distillation system
 - effect of various schemes in, 33
- Organics
 - reverse osmosis for separation of, from aqueous solutions, 67
- Osmosis
 - reverse, for separation of organics from aqueous solutions, 67
- Packed beds
 - fluid flow inside, 137
- Penicillin G and V
 - reextraction of, from organic phase in bench-scale Karr column after reactive extraction by LA-2, 61
- Pressure
 - changes during diffusion with chemical reaction in porous pellet, 77
 - influence of, on gas-liquid interfacial area and gas-side mass transfer coefficient of laboratory column equipped with cross-flow sieve trays, 89
- Pressure relief valves
 - two-phase flow phenomena with depressurization — consequences for design and layout of safety and, 1
- Process design synthesis
 - chemical engineering, mathematical programming tools for, 99
- Programming tools
 - mathematical, for chemical engineering process design synthesis, 99
- Reverse osmosis
 - for separation of organics from aqueous solutions, 67

Safety valves

- two-phase flow phenomena with depressurization — consequences for design and layout of pressure relief and, 1

Separation

- of organics from aqueous solutions, reverse osmosis for, 67

Sieve trays

- cross-flow, influence of pressure on gas—liquid interfacial area and gas-side mass transfer coefficient of laboratory column equipped with, 89

Simulation

- digital, of industrial ammonia reactor, 165

Tubular reactor

- fixed bed, with catalyst layer on inside tube wall, model study of, 203

Turbulence parameters

- and velocity components in agitated vessels, modelling of local distributions of, 13

Valves

- two-phase flow phenomena with depressurization — consequences for design and layout of safety and pressure relief, 1

Velocity components

- and turbulence parameters in agitated vessels, modelling of local distributions of, 13